

FleetSlate Office + Driver Pairing Guide

Connect a driver phone in one clear flow: Office creates the code, the driver connects once, and later launches restore Home automatically.

How to pair FleetSlate Driver with FleetSlate Office

Follow these simple steps to connect the FleetSlate Driver mobile app to FleetSlate Office.

- 1** In FleetSlate Office, open the Driver mobile app section and choose the driver.



Select the driver you want to connect. In the **Mobile app** section, click **Pair driver**.

- 2** Generate or share the pairing details.

The administrator, employer, or Office manager can share the QR code or pairing code directly with the driver.

Pair FleetSlate Driver

Scan this QR code Or enter this code




ABCD-2345

This code will expire in 15 minutes for security.

Share the QR code or the 8-character connection code with the driver.

- 3** On the phone, open FleetSlate Driver and scan the QR code or enter the code manually.



Option 1:

Tap to scan the

QR code provided

by your Office

administrator.

Option 2:

Enter the 8-character

connection code


manually.

Then tap

Connect FleetSlate

Driver.

- 4** Tap "Connect FleetSlate Driver" and confirm the device is paired.



The device is paired and ready to use.

Committed to John Davis Driver ID: 1001

The driver can now sign in with their PIN and start using FleetSlate Driver.



Need help?

Contact your administrator, employer, or Office manager for assistance.

Written for non-technical users. Follow the steps in order. System wording can vary slightly by device version, but the FleetSlate screens and workflow shown here match release 3.15.0.

GUIDE OVERVIEW

What you will do

Pairing is designed for non-technical users. The driver should not need to enter connection infrastructure details.

01

Office chooses the driver

Open the Driver mobile connection area in FleetSlate Office and select the correct driver.

02

Office creates or shares the connection details

Generate the QR code or short pairing code.

03

Driver opens FleetSlate Driver

The phone opens the one-time connection screen.

04

Driver taps Connect FleetSlate Driver

FleetSlate validates the one-time code and assigns the phone to the selected driver.

05

Later launches restore the phone automatically

The driver should not have to pair again every time the app opens.

Keep it simple

You do not need to enter server addresses, tunnel settings or technical connection details. FleetSlate handles the connection flow for you.

STEP 01

Office chooses the driver

The Office user starts pairing from FleetSlate Office. Select the driver who will own the phone or tablet before generating any connection details.

- One phone should be paired to the intended driver profile.
- If a phone is replaced later, revoke the old device first.




Current Office-side Driver connection workflow.

STEP 02

Office creates or shares the connection details

FleetSlate Office prepares a one-time QR code or short code. The administrator, employer or Office manager can show the QR on screen or share the short code securely with the driver.

- Use the QR code when the phone is physically near the Office screen.
- Use the short code when the driver is away from the office.




Visual overview of the Office-to-Driver pairing flow.

STEP 03

Driver opens FleetSlate Driver

On the phone, open FleetSlate Driver. Scan the QR code or type the short pairing code into the Connection code field.

- No company hostname, server address, tunnel token or email password is required.




Current FleetSlate Driver pairing screen.

STEP 04

Driver taps Connect FleetSlate Driver

After successful validation, FleetSlate stores the authorised device identity and opens the driver workspace.

- The Office user can later revoke that device if it is lost or replaced.




Use the green Connect FleetSlate Driver button to finish pairing.

STEP 05

Later launches restore the phone automatically

After the first successful connection, fully closing and reopening FleetSlate Driver should restore the saved authorised session and open Driver Home automatically.

- Normal daily use is one-layer: open the app and continue to Home.
- If Office intentionally revokes the phone, pairing is required again by design.



Current Driver Home screen after pairing.

READY TO USE

Your FleetSlate setup is ready for the first working day

Use the Download page whenever you need an installer or PDF guide. Keep activation keys, private download links and administrator access private.

- Open fleetslate.uk/download/ for installers and all PDF guides.
- Open fleetslate.uk/installation/ for the full web-based setup instructions.
- Use the support form if a device does not behave as shown.

Support

If a phone is lost or replaced, revoke the old device in FleetSlate Office before sharing a new pairing code.